



CERTIFICATE OF CONFORMITY

This is to certify that

Kooltherm K12 Framing Board
Kooltherm K17 Insulated Dry Lining Plasterboard
Kooltherm K18 Insulated Dry Lining Plasterboard



Product description

The Kooltherm K12 Framing Board consists of a core of fibre free rigid thermoset insulation which has a facing on both sides of low emissivity composite foil which is autohesively bonded to the insulation core during manufacture. The Kooltherm K17 Insulated Dry Lining Plasterboard consists of rigid thermoset insulation core, sandwiched between a front facing of tapered edge 10mm gypsum based plasterboard, and a reverse tissue based facing. The Kooltherm K18 Insulated Dry Lining Plasterboard consists of rigid thermoset insulation, sandwiched between a front facing of tapered edge 10mm gypsum based plasterboard, and a reverse facing of low emissivity foil.

Product purpose or use

Kooltherm K12 Framing Board is a thermal insulation board for use behind wall lining and framed walls. Kooltherm K17 and K18 Insulated Dry Lining Plasterboard is a thermal insulation board for internal use on walls and roofs.

Certificate holder

Kingspan Insulation Pty Ltd
266 Beringarra Road, Malaga, WA. 6944.
Tel: 1300 247 235 Fax: 1300 247 329
info@kingspaninsulation.com.au

CodeMark certification body

AI Global Certification Services Pty Limited
(ACN 108 716 669) Trading as "SAI Global"
JAS-ANZ Accreditation No. Z1440295AS
Address 680 George Street, Sydney, NSW 2000
Website: www.saiglobal.com

Complies with the New Zealand Building Code (NZBC):

if designed, used, installed and maintained in accordance with the scope of this Certificate, the above mentioned product will meet the following provisions of the NZBC:

B1 Structure: B1.3.1, B1.3.2, B1.3.3, B1.3.4,
B2 Durability: B2.3.1,
C3 Spread of Fire: C3.4,
E2 External Moisture: E2.3.2,
E3 Internal Moisture: E3.3.1,
F2 Hazardous Building Materials: F2.3.1,
H1 Energy Efficiency: H1.3.1

Subject to the following conditions and limitations:

1. K12 must be installed in accordance with the Kooltherm K12 Framing Board INSULATION FOR USE BEHIND WALL LINING AND FRAMED WALLS manual (Issue 5, November 2014).
2. K17 must be installed in accordance with the Kooltherm K17 Insulated Plasterboard (INSULATED DRY-LINING PLASTERBOARD FOR PLASTER DAUB / ADHESIVE BONDING) Manual (Issue 9, November 2014).
3. K18 must be installed in accordance with the Kooltherm K18 Insulated Plasterboard (INSULATED DRY-LINING PLASTERBOARD FOR MECHANICAL FIXING) manual (Issue 6, November 2014).
4. Each product must be used for its intended purpose.


**Samer Chaouk - Head of Policy,
Risk & Certification**


**John Clappett- Unrestricted
Building Certifier**

17/02/2015
Date of issue

16/02/2018
Date of expiry

SAIG-CM20099
Certificate Number



This certificate is issued by SAI Global Certification Services Pty Limited, an independent certification body accredited by the product certification accreditation body (JAS-ANZ) appointed by the Chief Executive of the Department of Building and Housing under the Building Act 2004. The Department of Building and Housing does not in any way warrant, guarantee, or represent that the building method or product the subject of this certificate conforms with the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product. The Department of Building and Housing disclaims, to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages, and costs arising as a result of the use of the building method(s) or product(s) referred to in this certificate. This Certificate may only be reproduced in its entirety